

Medical Equipment



We excel in service deliveries and offer the very best price structure on the market.



AED'S (AUTOMATED EXTERNAL DEFIBRILLATORS)



AED TRAINER - SIMULATOR



INTELLIGENT PUBLIC ACCESS DEFIBRILLATOR NF1200



INTELLIGENT PUBLIC ACCESS DEFIBRILLATOR CU-SP1



PARAMEDIC SERIES AED AUTOMATED EXTERNAL DEFIBRILLATOR - CU-ER1



PARAMEDIC SERIES AED AUTOMATED/MANUAL DEFIBRILLATOR - CU-ER2



PARAMEDIC SERIES AED MANUAL / SEMI AUTOMATED EXTERNAL DEFIBRILLATOR - CU-ER3



PARAMEDIC SERIES AED MANUAL MODE DEFIBRILLATOR / MONITOR EXTERNAL ADULT & PEDIATRIC PADDLES CU-ER5



PARAMEDIC SERIES MANUAL AND AED OPERATION DEFIBRILLATOR / MONITOR CU-HD1

- Defibrillation using paddles, pads or internal paddles
- Pacing function available

OPTIONAL ACCESSORIES AVAILABLE

ALCOHOL TESTERS



**ALCOHOL BREATHTESTER
ALCOSCANA AT-62**
compact and portable with
Keyring chain



**COMPACT "ALC NOSE"
ALCOHOL BREATHTESTER
ALCOSCANA AT-128**
Does not require mouthpieces



**DIGITAL PERSONAL
ALCOHOL
DETECTOR - AL-2500 PRIME**
Does not require mouthpieces



**PORTABLE BREATH
ALCOHOL TESTER
ALCOSCANA AL-6000 LITE**
Does not require
mouthpieces



**PORTABLE BREATH
ALCOHOL TESTER
ALCOSCANA AL-6000P WITH
PRINTER**



**PORTABLE BREATH
ALCOHOL TESTER WITH
FUEL CELL SENSOR
TECHNOLOGY - AL9000**
CONTENTS: 1x Breathalyzer
1 x Plastic case 5 x Mouthpieces
2 x AAA size Alkaline Batteries
1 x Manual 1 x Hand Strap
1 x Pouch 1 x Cable 1x Software



**MANUAL AUTOCLAVES
PORTABLE SA-232 SERIES
16L**
330mmx420mmx400mm



**TABLE TOP AUTOCLAVE
SA-232X SERIES - SEMI
AUTOMATIC
16L**
510mmx400mmx540mm



**FULLY AUTOMATIC
AUTOCLAVES
TABLE TOP SA-230FA / 260FA
SERIES CLASS S SERIES - 16L**
230FA=594mm(D)x522mm(W)x410mm(H)
260FA=655mm(D)x533(W)x442mm(H)



**FULLY AUTOMATIC
AUTOCLAVES TABLE TOP
SA-230MA & 260MA SERIES
CLASS B SERIES 23L
230MA = 594mm x 522mm x 410mm
260MA = 655mm x 533mm x 442mm**



**FULLY AUTOMATIC
AUTOCLAVES TABLE TOP
SA-300H SERIES 40L
660mm(W) X 1000mm(H) X
450mm(D)**



LISER TRADING



**FULLY AUTOMATIC
AUTOCLAVES TOP LOADABLE
HL-343(P) SERIES 72L
550mm x 660mm x 1230mm approx.**



**FULLY AUTOMATIC
AUTOCLAVES HORIZONTAL
TYPE TC-459 SERIES 143 L
(AVAILABLE IN MANUAL AND AUTOMATIC)**



**HIGH PRESSURE STEAM
AUTOCLAVE HORIZONTAL TYPE
TC-500 SERIES 196 LITRES
(AVAILABLE IN MANUAL & AUTOMATIC)
500mm x 1000mm**



**8W - 195mm x 165mm x 375mm
15W - 270mm x 215mm x 495mm**



30W - 1m (L) x 280mm(W) x 200mm(B)

AUTOCLAVE ACCESSORIES



Steam Indicator Strips x 250



Bowie Dick Test Packs



Bowie Dick Test Sheets



Steam Indicator Tape - 24mm



Chamber Mate Cleaner



Creped Paper
40 x 40 - 90 x 90 - 100 x 100
120 x 120



80 Micron
&
120 Micron

Body Bags

Body Bags with Face Identification Window and without Identification Window:

- Sizes Range from Infant to XXL
- Low Density Polyethylene
- 80 Micron & 120 Micron

Infant - 850 x 500mm
Small - 1300 x 750mm
Medium - 1700 x 750mm
Large - 2000 x 850mm
XL - 2300 x 850mm
XXL - 2300 X 950mm

BFW – series Fluid / Blood Infusion Warmer

BFW series Medical Fluid / Blood Infusion Warmer is a kind of device to warm the liquid which will be infused into human body by warming the infusion pipe, with high efficiency and easy use; dry groove warming structure, adopt conventional infusion pipe, no need special consumables.

Features:

- Temperature intellectual controlling technology: warm the device quickly, warm the fluid automatically and control the temperature accurately in the predetermined temperature, safe and stable.
- Color LCD display: real-time temperature, set temperature, environment temperature, dropping speed (10-300 drips/min), warming time, alarm indication, electricity indication, liquid exist indication, wireless access indication.
- Security feature: low temperature alarm & high temperature alarm.
- Infrared sensor technology: audible & visual alarm for finishing infusion.
- Connect the computer by RS – 232 port to control the device.
- Warming structure: dry-groove type, binocular tube warming, faster & better efficiency. Use normal infusion tube, no need special consumables.
- Temperature range: 28°C - 42°C ± 0.5°C



BFW – 1020 / 1020A / 1020B / 1020C



BFW – 1050 / 1050A / 1050B / 1050C

Features:

- 32-bit high speed microprocessor materializes the high precision temperature control of the 0.1 accuracy.
- Simultaneously displays data logging, recording time and temperature (including set value and present value) on the same screen.
- Monitor 16 incubators connected into 1 computer with Labtech Hub software, with unlimited Data Logging Graphic monitoring for step programmed process of real-time and temperature.
- Touch-screen and color LCD display, easy to operate and read.
- Silent heat extraction motor make the inside of machine temperature uniformity, built-in swing heating function can improve heating efficiency.
- Inner-tempered glass door provides the excellent airtight characteristic and observes the inner sample easily.
- Offer various operating mode, suitable for different environments.
- Temperature range 10°C - 60°C ± 1°C.

BP Meter Spares

BULB & VALVE



CODE: BPM-BV

ANEROID GAUGE



CODE: BPMA-G

TURN BUTTON AIR RELEASE VALVE



CODE: BPHSS2

**PROTECTIVE RING FOR
MANOMETER GAUGE**



CODE: GHS2

COILED TUBING



CODE: CTHS1

COILED TUBING CONNECTORS



CODE: CTDMS

MALE/FEMALE CONNECTOR



CODE: BPHSS1

GRADUATED GLASS TUBE REPAIR KIT



CODE: BPHSS3

BP Meters



**STANDARD ANEROID
POCKET BLOOD
PRESSURE METER**



**ANEROID BLOOD
PRESSURE METER WITH
SINGLE HEAD
STETHOSCOPE**



**DELUXE ANEROID POCKET
DELUXE**



**ANEROID PALM SATIN
ELITE BLOOD PRESSURE
METER**



**ANEROID PALM SATIN
CHROME ELITE BLOOD
PRESSURE METER**



**ANEROID SINGLE HANDED
BLOOD PRESSURE METER
WITH ABS GAUGE (BLUE)**



**ANEROID SINGLE HANDED
BLOOD PRESSURE METER
WITH ABS GAUGE (RED)**




**BP METER ANEROID
SINGLE HANDED**



**DELUXE ANEROID
WALL/DESK BLOOD PRESSURE
METER WITH SQUARE FACE**



**ANEROID SQUARE FACE
WALL MOUNTABLE BLOOD
PRESSURE METER**



**BP METER ANEROID WALL
SQUARE FACE SWIVEL**



**ANEROID BLOOD PRESSURE
METER ON MOBILE STAND**




BP METER ANEROID DUAL - CUFF - CHILD (BOY / GIRL)



ANEROID 5 CUFF SET WITH SINGLE HANDED WITH CHROME GAUGE



**DELUXE MERCURIAL DESK
BLOOD PRESSURE METER**



**DELUXE MERCURIAL
WALL BLOOD PRESSURE
METER WITH FRONT
BASKET**



**MOBILE MERCURIAL BLOOD
PRESSURE METER ON
MOBILE STAND**

FULLY AUTOMATIC BP METERS



**ROSSMAX FULLY
AUTOMATIC WRIST BLOOD
PRESSURE METER S150**



**ROSSMAX FULLY
AUTOMATIC UPPER ARM
BLOOD PRESSURE
METER - AW150F**



**Digital Blood Pressure Monitor
with SPO2 - 08A**



**AMBULATORY BLOOD PRESSURE
MONITOR ABPM50**



**ROSSMAX FULLY AUTOMATIC
AW150F - ADAPTER**

CUFF & BLADDERS



CODE: CBVSTINF

CUFF & BLADDER INFANT VELCRO NYLON – SINGLE AND DUAL TUBE
LENGTH: 260MM
RANGE: 13CM TO 19CM



CODE: CBVDTTC

CUFF & BLADDER CHILD VELCRO NYLON
SINGLE AND DUAL TUBE LENGTH: 340MM
RANGE: 18.4CM TO 26.7CM



CODE: CBVDTA

CUFF & BLADDER ADULT VELCRO NYLON – SINGLE AND DUAL TUBE
LENGTH: 530MM
RANGE: 25.4CM TO 40.6CM



CBBDTA

CUFF & BLADDER BANDAGE ADULT, CHILD LENGTH: 980MM (ADULT)



CBBDTO

CUFF & BLADDER OBESE VELCRO NYLON
SINGLE AND DUAL TUBE LENGTH: 610MM
RANGE: 34.3CM TO 50.8MM



CBVDIT

CUFF & BLADDER THIGH VELCRO NYLON
SINGLE AND DUAL TUBE LENGTH: 710MM
RANGE: 43.5CM TO 62CM



FULLY AUTOMATIC CUFF
 Available in sizes,
 Child, Adult and Obese



SEMI-AUTOMATIC CUFF
 Available in sizes, Child,
 Adult and Obese



BLADDERS SINGLE & DUAL TUBE
 Obese, Adult, Child, Infant



CENTRIFUGES



BENCH TOP CENTRIFUGE
MODEL - PLC-03
CAPACITY - 8 X 15ML
ROTOR - A-01815
MAX RPM - 1000 - 4000 RCFXG - 2422
SUGGESTED TUBES FX12MM CONICAL



MICRO HAEMATOCRIT CENTRIFUGE
KHT-400
SPEED CONTROL - 60MIN
CAPACITY - 24 CAPILLARY
ROTOR - F-2415 - MAX RPM - 12000
MAC RCF - 14490 X G

CE & ISO APPROVED DIAGNOSTICS



DERMATOSCOPE SET CONTAINS:
1X HANDLE AND SCOPE
1 X SPARE LENS
X BLACK ZIP UP CARRY CASE



DIAGNOSTIC SET DELUXE
UNIVERSAL BLACK
WITH 2 SPARE BULBS



DIAGNOSTIC SET
UNIVERSAL BLUE
(WHITE CASE + 2 BULBS)



BMS HAEMOGLO
BINOMETER FULL SET



STAT-Site ELECTRONIC
HAEMOGLOBINOMETER



LARYNGOSCOPE
4 BLADE SET (CONVENTIONAL)



LARYNGOSCOPE FIBRE OPTIC - 4 BLADE SET



LARYNGOSCOPE HANDLES AVAILABLE IN ADULT AND PAED



MACINTOSCH BLADES SIZES 00 - 5 AVAILABLE IN CONVENTIONAL & FIBRE OPTIC



MILLER BLADES (SIZES 00- 5) AVAILABLE IN CONVENTIONAL & FIBRE OPTIC



HI CARE PROFESSIONAL FIBRE OPTIC OPHTHALMOSCOPE



HI CARE PROFESSIONAL FIBRE OPTIC OTTOSCOPE



HI CARE PROFESSIONAL FIBRE OPTIC OTTOSCOPE & OPHTHALMOSCOPE



OTTOSCOPE - UNIVERSAL - HI CARE



OTTOSCOPE DELUXE WITH TONGUE DEPRESSOR AND BLACK PEN



PUPIL TORCH - BUDGET - SILVER



PUPIL TORCH WITH PUPIL GAUGE



DIAGNOSTIC SET HANDLE GAUGE



SINGLE VIEWING BOX



DOUBLE X-RAY VIEWING BOX



TRIPLE X-RAY VIEWING BOX



EXAMINATION LAMPS



EXAMINATION LAMP &
P TYPE STAND
KD-201D-AS



EXAMINATION LAMP –
HEAD TYPE
KD-202A-3



EXAMINATION LAMP – HEAD
TYPE
KD-202A-3 X 5
MAGNIFICATION



EXAMINATION LAMP ON
MOBILE STAND KD-201B




EXAMINATION LAMP – DESK
TYPE KD-201D-D



EXAMINATION LAMP – CLAMP
TYPE KD-201D-A



DIATHERMYS



DIATHERMY 50D
Is a radiofrequency electrosurgical suitable for small monopolar surgery



DIATHERMY 80/120/160 WATT
Is a radiosurgical unit which is suitable to light and medium surgery



DIATHERMY 200W
Is a proper diathermo-coagulator to monopolar or bipolar precise surgery



DIATHERMY FLASH 80/120/160
Is a diathermo-coagulator unit which is suitable to microsurgery as well as to precision monopolar and bipolar surgery



DIATHERMY FLASH 200
Is a proper diathermo-coagulator to monopolar or bipolar precise surgery



DIATHERMY 400 HP
TWIN OPERATIVE ACTIVITY
Two output channels for monopolar cutting Two independent setting and output channels for the most frequent monopolar coagulation

SURTRON EVAC



SMOKE EVACUATOR

DISPOSABLES – HI CARE



TRIANGULAR BANDAGE
90cm x 90cm x 127cm



CREPE BANDAGE
50MM, 75MM, 100MM




FIRST AID DRESSINGS NO. 2,3,5



**CONFORMING BANDAGE – 50X2.5M,
75X2.5M, 100MM X 4.5M**



COHESIVE BANDAGE 25MM X 5M



**PLASTER ROLL ADHESIVE 25MM, 50MM,
75MM, 100MM**



DISPOSABLES – HI CARE



GAUZE SWABS – 50 X 50 (5's) Sterile



GAUZE SWABS – 75 X 75 (5'S) Sterile



GAUZE SWABS – 100 X 100 (5'S) Sterile



**GAUZE SWABS – 50 X 50 (100'S)
NON STERILE**



**GAUZE SWABS – 75 X 75 (100'S)
NON STERILE**



**GAUZE SWABS – 100 X 100 (100'S)
NON STERILE**



**ZINC OXIDE SELF ADHESIVE PLASTER
1.25CM X 5M, 2.5CM X 5M, 5CM X 5M**



**WIDE OPEN WEAVE BANDAGE
2.5CM X 5M, 5CM X 5M**



**ELASTIC ADHESIVE BANDAGE
5, 7.5 & 10CM X 4.5M (STRETCHED)**

DISPOSABLES – HI CARE



PLASTER STRIPS (WATERPROOF) - BLUE



SKIN CLOSURE STRIPS – 32 X 76MM & 64 X 76MM



WOODEN TONGUE DEPRESSORS (100'S)



CPR MOUTHPIECES



**BUDGET SCISSORS – 100MM
(Blade 100mm, total length 130mm)**



VAGINAL SPECULUM DISPOSABLE



TORNIQUETTES



GREEN INTERLOCKING SPLINTS



BANDAGE CLIPS

DISPOSABLES – HI CARE




COTTON WOOL – AVAILABLE IN 12.5G, 50G & 500G



COTTON EAR BUDS (100'S)



PLASTER STRIPS (100'S)



PAPER TAPE 12.5MM, 25MM X 50MM



RESCUE BLANKETS AVAILABLE IN CHILD & ADULT



ALCOHOL SWABS- 200'S (30 x 30mm)



SURGICAL BLADES (CARBON & S/STEEL) SIZES 10, 11, 12, 15, (FITS NO. 3 HANDLE) 19, 20, 21, 22, 23, 24, 25 (FITS NO. 4 HANDLE)



SAFETY PINS – SET OF 10



FORCEPS STAINLESS STEEL BUDGET (SHARP TIP) / PLASTIC FORCEPS

DISPOSABLES – HI CARE



**DISPOSABLE SKIN STAPLER
(20 STAPLES) AND REMOVER**



BURN DRESSING 10CM X 10CM



**ANTISEPTIC SOLUTION –
50ML & 100ML**



EYE SHIELDS – STERILE (250'S)



EYE PADS (50'S)



**SURGICAL SKIN MARKERS –
REGULAR & FINE TIP & DUAL TIP**



**CPR REUSABLE POCKET MASKS
(AVAILABLE IN ORANGE & RED)
Mask CPR - 1-Way Valve & Bio Filter**



**RESCUE SCISSORS WITH SAFETY TIP
16CM & 19CM (GERMAN STYLE)**



RESCUE SCISSORS 16CM & 19CM

DISPOSABLES – HI CARE



CPR WITH KEY RING IN PLASTIC CASE



SOLUBE HEMOSTATIC GAUZE



NAIL BRUSHES



DISPOSABLE SCALPEL BLADES



NASAL DRESSING 80 X 20 X 15MM 100 X 20 X 15MM

ECG'S



ELECTROCARDIOGRAPH MONITOR - THREE CHANNEL - 12 LEADS - 1103B



ELECTROCARDIOGRAPH MONITOR - THREE CHANNEL & INTERPRETATION - 1103G



DIGITAL - THREE CHANNEL - 12 LEADS ELECTROCARDIOGRAPHG MONITOR - 1103L



DIGITAL - SINGLE CHANNEL ELECTROCARDIOGRAPH MONITOR - 1103 VET



DIGITAL - TWELVE CHANNEL - 12 LEADS ELECTROCARDIOGRAPHG MONITOR - 1112



DIGITAL - THREE CHANNEL ELECTROCARDIOGRAPH MONITOR - 300G



DIGITAL 6 CHANNEL ELECTROCARDIOGRAPH MONITOR - 600G



DIGITAL - TWELVE CHANNEL - 12 LEADS ELECTROCARDIOGRAPHG MONITOR - 1200G



DIGITAL 12 CHANNEL CARDIOCARE 2000 ELECTROCARDIOGRAPHG MONITOR

FOLEY CATHETERS AND TUBING



FOLEY CATHETERS 14 & 16-GAUGE



FEEDING TUBES 5FG, 6FG, 8FG



SUCTION CATHETER 10FG & 12FG (PVC)



FEEDING TUBES 5FG, 6FG, 8FG



SUCTION CATHETER 6FG, 8FG (PVC F-CONTROL)



FEEDING TUBES 5FG, 6FG, 8FG

FIRST AID KITS, SPINE BOARD AND CERVICAL COLLARS



Nurses Kit

FEATURES:

- 1 x Standard aneroid BP meter
- 1 x Single head stethoscope
- 1 x Aluminium pupil torch
- 1 x Digital thermometer
- 1 x Scissors 100mm



Basic Kit

Contents

- 10 x Safety Pins
- 10 x Cotton Buds
- 2 x Gauze Swabs
- 5 x Plaster Strips
- 1 x CPR Mouthpiece
- 1 x 50ml Antiseptic Solution
- 1 x 50mm Crepe Bandage
- 1 x Cotton Wool Pad 12.5g
- 1 x Pair Latex Gloves
- 1 x Pair Scissors
- 1 x Forceps
- 1 x 50mm Conforming Bandage



Vehicle Kit

- 2 x Alcohol Swabs
- 1 x Antiseptic Solution 50 ml
- 1 x Triangular Bandage
- 10 x Cotton Buds
- 1 x Cotton Wool Roll 12.5 g
- 1 x CPR Mouthpiece
- 1 x First Aid Dressing No. 2
- 1 x First Aid Dressing No. 3
- 1 x Stainless Steel Forceps
- 1 x Pair Medium Latex Gloves
- 1 x Paper Tape Non-Allergenic

Contents:

- 10 x Plaster Strips
- 10 x Safety Pins
- 1 x Budget Scissors
- 1 x Rescue Blanket
- 1 x Pupil Torch
- 1 x Digital Thermometer
- 1 x Box Matches
- 1 x Lip-Balm
- 1 x Muscle Rub (equivalent to Deep Heat)
- 1 x Dr's Rub (equivalent to Vicks)
- 1 x Green Muti (equivalent to Zambuk)





Essential Kit

Contents

- 1 x 75mm Conforming Bandage
- 1 x No. 3 First Aid Dressing
- 1 x No. 5 First Aid Dressing
- 1 x Triangular Bandage
- 1 x CPR Mouthpiece
- 10 x Safety Pins
- 2 x Pairs Latex Gloves
- 4 x Gauze Swabs
- 1 x Pair Scissors
- 1 x Forceps
- 2 x 50ml Antiseptic Solution
- 2 x Cotton Wool Pad 12.5g
- 10 x Plaster Strips
- 1 x Rolls Hypo Allergenic Paper Tape
- 1 x Plaster Roll Adhesive 25mm x 3m
- 10 x Cotton Buds
- 2 x Green Plastic Interlocking Splints



Home Kit

Contents:

- 1 x Antiseptic Solution 100 ml
- 2 x Conforming Bandage 100 mm
- 1 x Crepe Bandage 50mm
- 1 x Triangular Bandage
- 1 x Burn Dressing 10 cm x 10 cm
- 10 x Cotton Buds
- 1 x Cotton Wool Pad 12.5 g
- 1 x CPR Mouthpiece
- 1 x First Aid Dressing No. 3
- 1 x First Aid Dressing No. 5
- 1 x Stainless Steel Forceps
- 1 x Pair Medium Latex Gloves
- 1 x Paper Tape Non-Allergenic
- 10 x Plaster Strips
- 1 x Plaster Roll Adhesive
- 10 x Safety Pins
- 1 x Budget Scissors
- 1 x Rescue Blanket
- 2 x Plastic Splints
- 1 x Pupil Torch
- 1 x Digital Thermometer



Regulation 3 & 7 Kit in Plastic Box

Contents:

- 1 x Antiseptic Solution 100ml
- 1 x Roll Hypo-Allergenic Paper Tape
- 100 x Gauze Swabs 75mm x 75mm
- 10 x Plaster Strips Loose
- 10 x Sterile Gauze Swabs 75mm x 75mm (5's)
- 4 x First Aid Dressing No. 3
- 2 x Cottonwool 50g
- 4 x First Aid Dressing No. 5
- 1 x Forceps
- 2 x Green Plastic Interlocking Splints
- 1 x Scissors
- 2 x CPR Mouthpiece
- 10 x Safety Pins
- 2 x Pairs Gloves Medium
- 4 x Triangular Bandages
- 2 x Pairs Gloves Large
- 4 x Conforming Bandages 75mm
- 1 x Burn Dressing 10cm x 10cm
- 4 x Conforming Bandages 100mm
- 1 x Plaster Roll 25mm x 3, (Elastic Adhesive)
- REGULATION 7 Kit**
- Additional Body Fluid Kit



Regulation 3 & 7 Kit in Carry Bag

Contents as above



Regulation 3 & 7 Kit in Metal Box

Contents as above



Basic Life Support Bag

Contents as above



Intermediate Life Support Bag
Contents available on request



Advanced Life Support Bag
Contents available on request



Emergency Pouch - CPR Mouthpiece & First Aid Dressing No. 5




BODY FLUID KIT



SPINAL BOARD



HEAD IMMOBILIZING BLOCK



SPIDER HARNESS



ADJUSTABLE COLAR (ADULT) ADJUSTABLE



ADJUSTABLE COLAR (CHILD) ADJUSTABLE



CERVICAL COLLAR SOFT FOAM STOCKINETTE (SMALL, MEDIUM OR LARGE)



FOETAL MONITORING

FOETAL DOPPLER BF-510



It can detect the Fetal heart, its used for detecting the fetal heart at hospital, clinic, family.

FOETAL DOPPLER BF-510S



It can detect the Fetal heart, LCD display FHR, it's used for detecting the fetal heart at hospital, clinic, family.

FOETAL DOPPLER BF 500 (Audio only)



Detects the foetal heart rate from as early as 12 weeks of pregnancy to full term Can be used in hospital, clinic, home, etc.

FOETAL DOPPLER BF 500+ (Audio & Digital)



FUNCTION :

- Detects the foetal heart rate from as early as 12 weeks of pregnancy to full term.
- Can be used in hospital, clinic, home, etc.
- Displays the Foetal Heart Rate with LCD

FOETAL DOPPLER BF 600 (Audio Only)



FUNCTION :

- Detect Foetal Heart Rate, audio only
- For use from 12 weeks to full-term pregnancy

FOETAL DOPPLER BF 600+ (Audio & Digital Display)



FUNCTION :

- Displays Foetal Heart Rate with LED
- On-Off music function and sound alarm of the FHR when out of range
- Automatic Turn off Function.
- For use from 12 weeks to full-term pregnancy





FOETAL DOPPLER BF-500A

It can detect the Fetal heart, LCD display FHR, Built-in modem, can dial-up directly, can transmit the FHR signal to the monitor centre via a telephone line, it's used for detecting the fetal heart at hospital, clinic, family.



FOETAL DOPPLER POCKET A & B MODELS WITH OPTIONAL VASCULAR DOPPLER PROBE

Sonoline series ultrasonic pocket foetal Doppler can meet the routine examination requirements of obstetricians, midwives and pregnant woman.

Sonoline A is for simple auscultation

Sonoline B is a high performance model with FHR digital LCD Display.



POCKET FETAL DOPPLER – BABY SOUND A & B FUNCTION :

- Specially designed for home care.
- Detects Foetal heart rate from as early as 10 to 12 weeks.
- Can be connected to the computer, CD or tape recorder for recording the babies heart sound.
- Both A and B models have and audio output socket.
- Baby Sound A is designed for simple auscultation. Baby Sound B integrates a single chip CPU, LCD display and accurate arithmetic software, it can display the FHR and is very convenient to get baby's accurate heart rate.

CARDIOTACOGRAPHS



FOETAL MONITOR POP UP SCREEN – CMS800G

FEATURES:

- Light weight, space-saving, easy to use.
- 8.4" LCD screen, folding 60 degree.
- Display waveforms and digitals simultaneously.
- FHR 120-160 normal area highlight
- 12 hours data and waveform storage and review.
- FHR upper and lower limit alarm.
- Twins monitoring function option.
- High sensitive 9 Elements 1 MHZ Pulse Doppler transducer.
- Built-in PC Network can be connected to the central monitoring system.



FOETAL MONITOR FC 700 CARDIOTACOGRAPH

FEATURES:

- Accurate FHR detection
- High sensitivity (1MHz)
- Automatic foetal movement detection
- A4 size wide chart paper
- Uses inexpensive fax paper
- Intuitive user interface
- Easy to upgrade
- PC interface through RS-232C
- Central monitoring system



TWIN VIEW – COLOUR LCD TWIN FETUS MONITOR - FC 1400

FEATURES :

Superior Data Display.

- 320 x 240 colour LCD viewer.
- Twin capability and automatic fetal movement.
- 12 hours of memory capacity.

Extreme Data Accuracy and Access.

- High Accuracy and wide detection area.
- Easy on-screen access with scrolling function.
- Durable Watertight probes.

Printout.

- Easy-to-read B5 size chart paper.
- High Speed printout of stored data.
- Uses inexpensive fax paper.

HI-CARE DISPOSABLE EXAMINATION GLOVES



Latex Powdered Examination Gloves (S; M; L) - CODE : GLLP

Functional Benefits

- Protection from unwanted or dangerous substance.
- Easy donning and helps prevent roll back.
- Softness provides superior comfort and natural fit.
- Beaded cuff makes donning easy.
- Ambidextrous and straight fingers.

Quality Standards

- Conforms to ASTM D3578 (01) and EN455 (00) Standards.
- Manufactured under GMP and ISO9001 : 2000 Quality Management System.
- Using FDA approved absorbable corn starch.
- Extractable protein level is less than 200 microgram/gram, while powder level is below 120 milligram/glove.

Latex Powder-Free Examination Gloves (S; M; L) - CODE : GLLPF

Functional Benefits

- Protection from unwanted and dangerous substance.
- Easy donning and helps prevent roll back.
- Softness provides superior comfort and natural fit.
- Beaded cuff makes donning easy.
- Powder free to eliminate powder-induced irritation and dermatitis to the users.
- Textured surface on palm and fingers provide a better grip.
- Low level of extractable proteins and chemical residue, hence lower incidences of allergic reactions.

Quality Standards

- Conforms to ASTM D3578 (01) and EN455 (00) Standards.
- Manufactured under GMP and ISO9001 : 2000 Quality Management System.
- Extractable protein level is less than 50 microgram/gram, while powder level is below 2 milligram/glove.

Nitrile Examination Gloves (S; M; L) (Latex & Powder Free) - CODE : GLNPF

Functional Benefits

- Protection from unwanted and dangerous substances.
- Beaded cuff ensures easy donning and prevent roll down.
- Superior strength with better puncture resistant.
- Full textured enhances wet and dry grip.
- Thinner gauge improves tactile sensitivity.
- Custom design enhances comfort and fit.
- Provide an alternative solution for individuals who are allergic to natural rubber latex.

Quality Standards

- Conforms to ASTM D6319 (00) and EN455 Standards.
- Manufactured under GMP and ISO9001 : 2000 Quality Management System.
- Biocompatibility tested or biocompatibility friendly.
- Manufactured from 100% nitrile (Acrylonitrile-butadiene).
- Moisture content is below 0.8% per glove.
- Resists permeation by wider range of chemicals than natural rubber latex of the same thickness.

Vinyl Powder Free Stretchy Examination Gloves (S; M; L) - CODE : GLVP

Functional Benefits

Quality Standards

- Conforms to ASTM D6319 (00) and EN455 Standards.
- Manufactured under GMP and ISO9001 : 2000 Quality Management System.

PALM/Lab Glucometer



CODE: BMPL

includes:

- Palm/Lab Meter
- 10 Palm/Lab Test Strips
- One Code Strip
- One vial of control solution
- One Lancing device x Ten Lancets x Carrying Case
- Owners Booklet

Specifications:

- Dimension : 75mm x 50mm x 17.5mm
- Weight: 42g
- Power source: CR2032 3V lithium coin battery x 1
- Battery Life: Over 1,000 determinants x Display: Large LCD
- External Output: RS232 PC interface
- Memory: 180 measurement results with date and time
- Auto Electrode inserting detection
- Auto sample loading detection
- Auto reaction time count-down
- Sleeping mode: Power consumption less than 20uA
- Auto turn-off after 3 minutes without action
- Operating Ranges: Temperature 15 - 30°C -
- Relative Humidity 10 - 90% Hematocrit 30 - 60%
- Result Range: 30 to 600mg/dL (1.3 to 33.3 mmol/L)
- Calibration: Plasma-equivalent x Sample: Fresh Capillary blood
- Sample Size: 0.6 microliter
- Test Time: 10 seconds

SYRINGE DRIVER SP500, INFUSION PUMP SP800



The SP-800 pump is a highly economical volumetric infusion pump, built for safe and easy operation. Highly accurate infusion rates ensure patient safety and optimum therapeutic effect.

Features :

- Unique door-free design
- LCD Display
- Accurate fluid delivery
- Infusion speed adjustable.
- Built in rechargeable lithium battery.
- Audio alarms: infusion completion, occlusion, air bubble, low battery, control abnormal, installation error, AC power supply



Features:

All standard syringes of 10ml\20ml\50ml are compatible. The machine diagnoses the syringe size automatically, and with a simple syringe specification setting, the syringe pump can guarantee an accurate and safe injection.

- Unique function of bedside injection supervision which makes patients and their relatives as well as nurses more assured.
- Excellent injection function and operation. Even small-volume injection is accurate.
- Double CPU system ensures safe and reliable injection process.
- Driven by precision step motor, no pulsating waves shall occur during even low-rate injection.
- Accurate and sensitive pressure sensor detects occlusion pressure accurately. Alarms are given in case of malfunction or operation error and the machine stops operation automatically.

INFUSION CUFF



FORCEPS/INSTRUMENTS



**DISSECTING
FORCEPS
PLAIN 16CM**



**MAGIL FORCEPS 16CM
XSML, 20CM CHILD/
24CM ADULT**



**BABCOCK
FORCEPS 20CM**



**ARTERY FORCEPS
SPENCERWEL 18CM**



**MOSQUITO FORCEPS
STR 13CM**



**MOSQUITO FORCEPS
CVD, 13CM**



**ARTERY FORCEPS
SPENCERWEL 18CM**



**MOSQUITO FORCEPS
STR 13CM**



**MOSQUITO FORCEPS CVD,
13CM**



**ALLIS INTESTINAL CLAMP
FORCEPS 20CM**



TRACHEAL DILATOR - 10.5CM



TRACHEAL DILATOR - 14CM



SCALPEL HANDLES NO. 3 & 4



**NEEDLE HOLDER MAYO
HEGAR 14CM**



**HAMMER WITH BRUSH &
NEEDLE - BUCKS**

CODE: SRSETVC5



VASCULAR CLAMPS SET (5pcs)

CODE: SRSETB24



BASIC SURGERY SET (24pcs)

CODE: SRSETD3



BASIC DRESSING SET (3pcs)

CODE: SRSETA42



ABDOMINAL SET - 42 PIECES



DISSECTING SET



POST MORTEM SET SMALL & LARGE

- DELIVERY KIT PACK (11 PCS)**
- DILATION & CURETTAGE PACK (25 PCS)**
- EPISOTOMY PACK (7 PCS)**
- CIRCUMCISION SET (19PCS AND 25PCS)**
- CERVICAL PACK - 24PCS**
- GYNÆCOLOGY SET - 16PCS**

INSTRUMENTS

128Hz, 256Hz, 512Hz



TUNING FORK



VAGINAL SPECULUMS S/STEEL & DISPOSABLE



KIDNEY DISH

INSTRUMENT TRAY WITH LID



EAR SYRINGE 100CC



PLASTER SAW



**DENTAL SYRINGE - 2.2ML
CAPACITY**

HI-CARE PATELLA HAMMERS



PROFESSIONAL



STAINLESS STEEL



NYLON



TAYLOR





**OPERATING SCISSOR S/B
12.5CM**



**BANDAGE SCISSORS
LISTER 14CM**



**OPERATING SCISSORS SS
15CM**



**OPERATING SCISSOR SS
12.5CM**



**OPERATING SCISSORS S/B
15.5CM**



IRIS SCISSORS 11.25M CVD



**MAYO SCISSORS STR
14CM**



IRIS SCISSOR 4-1/2STR



**LIGATURE
SCISSORS**



**STAINLESS STEEL CURVED SCISSORS
5" & 6"**



STITCH SCISSORS 5" & 5.5"



**METZENBAUM SCISSORS
12.5CM/5" CURVED AND
15.5CM/6" CURVED**

LUNG FUNCTION



PEAKFLOW METER STANDARD – ADULT



PEAKFLOW MOUTHPIECES (100'S)



SPIROMETER CMS-SP10B

FEATURES:

- Ultra-thin design for portable carrying, easy operation for convenient test x Large TFT screen to display the test result clearly
- Measure FVC, PEF, FEV1 etc. parameters synchronously
- Support diagnosis evidence by volume and flow rate chart display
- With precise, credible test result and good consistency
- Built-in predicted value, display the testee current condition by red, yellow and green bar
- Provide repeated measure and memorize the correlative data
- Communication with the computer with the USB (or Bluetooth), which can calculate data, analyse trend and export
- Built-in lithium battery, battery power display X Automatic power-off when there is no operation in one minute.



MASKS & AIRWAYS



**MASK OXYGEN WITH TUBING
ADULT OR CHILD**



MULTI VENTURI SET



VENTURI OXYGEN MASK 24%
CODE: MASKOXV24A/BL
/MASKOXV24C/BL



**NASAL CANNULAS -
ADULT OR CHILD**



OXYGEN TUBING 30 & 50M



CORRUGATED TUBING - 30M



**GUERDAL AIRWAYS
SIZES 000 - 5**



**BUBBLE HUMIDIFIER - W/6PSI
AUDIBLE ALARM**

MEDICINE DROPPERS, PILL BOXES, PILL SLICER AND PILL CRUSHERS




PILL SLICER



PILL CRUSHER



**MEDICINE DROPPER
1ML – 5ML
PILL BOX**



PILL BOX – 7 DAYS



AVITA NASAL ASPIRATOR



CODE: NA

Product Features:

- Strong Power x Tear Free
- Compact & Easy device
- Musical Tunes – 12 worldwide Children's Ballads x Can be used while baby is sleeping
- Cup & Nozzle can be disinfected by boiling water

Specifications:

- Maximum Pressure – 430mmHG (52kpa) x Battery Life – At least 40 minutes x Power Source Alkaline Battery, 2 x 1.5V AA x Weight – 250g
 - Aspiration Tip – Soft Silicone
 - Motor – 3V/DC
 - Operation Environment -Temperature: 15C~35C - Humidity: up to 85% (non-condensing)
- Single Unit – 1 complete set in cardboard box - (210mm (L) X 140mm (W) x 55mm (D))

Quality Approvals: CE - ISO

NEBULISERS



BABY AEROSOL NEBULISER



**EOLO NEBULISER – PISTON TYPE
14L/MIN**



**MIKO NEBULISER – PISTON TYPE
13L/MIN**



MOBILE NEBULISER



**NEBULISER NEBSET ADULT OR CHILD
MASK, 2M TUBING AND MEDICINE DISPENSER**



NON WOVEN



BEARD PROTECTOR



GLOVES PE



LAB GOWN



MASK SURGICAL EAR LOOP 3 PLY




SHOE COVER PLASTIC BLUE



SHOE COVER SKID PROOF



OVERALLS



GOWNS PP BLUE SHORT SLEEVE



GOWNS PP LONG SLEEVE BLUE



MOPCAPS



GOWN SURGICAL STERILE



MASK SURGICAL 2 & 3 PLY EARLOOP AND TIE

OXYGEN CONCENTRATORS



**PORTABLE CONCENTRATOR
1L (AVAILABLE WITH CAR
ACCESSORIES)**




**PORTABLE CONCENTRATOR
V3 PURITY ALARM**



**OXYGEN CONCENTRATOR
V5 SERIES 5LITRE**



AIR INTAKE FILTER (OXYCV5C-AF)



**BLACK (WINDOW FILTER)
(OXYCV5C-FS/BK)**



PATIENT MONITOR TROLLEY OPTIONS



CMS 5000



PRIZM



CMS 6500



M3



CMS 6000

PATIENT MONITORS



CMS5000 - NIBP/SP02
CMS5000T - NIBP/SP02/TEMP



CMS5100 - NIBP/SP02



CMS6000
PR/NIBP/SP02/TEMP/ECG



CMS6500
NIBP/SP02/ECG/TEMP/
PULSE/7" TOUCH SCREEN



CMS6800
NIBP/SP02/ECG/TEMP/
PULSE/8" SCREEN



CMS7000
PR/NIBP/SP02/TEMP/ECG/
12.1" SCREEN



CMS9000
NIBP/SP02/TEMP/ECG/
12.1" SCREEN



S6 - 10.4" SCREEN



SF - 12.1" SCREEN



M3 & M3 WITH PRINTER



Bm3 & BM3 VET



Bm5 WITH OPTIONAL ETCO2 MODULE



**Pm50
HANDHELD NIBP/SP02**



**Pm70 - HANDHELD NIBP/SP02
INTERNAL BATTERY BACK UP**



**PRIZM3 NIBP - NIBP/SP02
SP02 - NIBP/SP02/ECG/TEMP**



ULTRASOUNDS



**ULTRASOUND A6
SONOSCAPE**



**ULTRASOUND A6 V
SONOSCAPE**



**ULTRASOUND WED-9618 &
WED 9618 V**



**ULTRASOUND WED 180 &
WED 180V**



**ULTRASOUND WED 380 &
WED 380V**




ULTRASOUND WED-9618CII

VASCULAR DOPPLERS



BV-520



BV-520T

PULSE OXIMETERS



FINGERTIP PULSE OXIMETER FOR CHILDREN - CMS 50QA/B
50 QA Black & White Screen
Display 50 QB - Colour Display



PULSE OXIMETER FINGERTIP CMS-50DL
Basic finger with lcd display



PULSE OXIMETER FINGERTIP CMS-50D
Finger tip spo2 with pleth Graph and colour display



PULSE OXIMETER FINGERTIP CMS-50E
Advanced finger tip with Spo2



PULSE OXIMETER HANDHELD CMS-60A
Handheld, paramedic type, Rubber ringed



TFT COLOUR PULSE OXIMETER CMS-60C
Handheld with colour LCD Display, rechargeable



PULSE OXIMETER HANDHELD CMS-60D
Handheld with continuous Monitoring



PULSE OXIMETER HANDHELD PM-60A
Touch screen, pleth wave, Mountable, suitable for Ambulance



PULSE OXIMETER WITH PRINTER - CMS65A
Handheld with printer

PULSE OXIMETER FINGERTIP CMS-50F



DIGITAL WRIST PULSE OXIMETER



PULSE OXIMETER FINGERTIP CMS-50F



MAINSTREAM AND SIDESTREAM CO₂ /SPO₂ MONITORS

- High performance capnography with either mainstream or sidestream measurement
- Advanced pulse oximetry combining innovative technologies with advanced features
- Application range from infant to adults
- Display of ETCO₂, FICO₂, SPO₂ respiration and pulse rate, canogram and plethysmogram
- For intubated and non - intubated patients
- Maintenance and calibration - free technology
- Small, light - weight and shock - resistant mainstream IRMA CO₂ Analyzer
- Low flow sidestream sampling with the new NOMO technology
- Superior performance, easy to use and ergonomic design
- Up to 6 hours battery operation for extended transport time.
- Storage capacity for patient data of up to 400h
- USB interface and PC software
- Up to 16 language versions available
- Key technology accessories ensure reliable monitoring
- Autoclave SoftCap A and other high - quality SPO₂, reusable and disposable sensors


PATIENT VALVE EXT ADAPTOR & MANOMETER GAUGE



MANOMETER GAUGE 360 ° SWIVEL - W/T PIECE



**MANOMETER GAUGE 720° SWIVEL
W/L ADAPTOR & T PIECE**



PATIENT VALVE EXT ADAPTOR - INFANT/CHILD SINGLE USE



PATIENT VALVE EXT ADAPTOR 300MM - ADULT SINGLE USE

RESUSCITATOR SPARES

CODE: RESMO/1/2/3/4/5



HI-CARE SILICONE RESUSCITATOR MASKS
INFANT: SILICONE MASK #0 / #1 / #2
CHILD: SILICONE MASK #3
ADULT: SILICONE MASK #4 / #5
CODE: PVD

CODE: RESRBBA



HI-CARE SILICONE RE-BREATH BAGS
INFANT - 900ML
CHILD / ADULT - 2.7L

CODE: PV10/PV20



PEEP VALVE



PEEP VALVE DIVERTER



REAR VALVE



**RESUSCITATOR PATIENT VALVE WITH
POP-OFF**

RESUSCITATORS



SILICONE - AUTOCLAVABLE

INFANT -

Silicone Mask #0 / #1 / #2
Patient Valve with Pressure Relief Valve
Silicone Bag 350ml
Reservoir valve
Oxygen Reservoir 900ml

CHILD -

Silicone Mask #3
Patient Valve with Pressure Relief Valve
Silicone Bag 500ml
Reservoir Valve
Oxygen Reservoir 2,700ml

ADULT

Silicone Mask #5
Patient Valve with Pressure Relief Valve
Silicone Bag 1,700ml
Reservoir Valve
Oxygen Reservoir 2,700ml



PVC RESUSCITATOR - DISPOSABLE

INFANT -

Silicone Mask # 0 / # 1 / # 2
Patient Valve with Pressure Relief Valve
Silicone Bag 300ml
WEIGHT 170g - Reservoir valve
Oxygen Reservoir 600ml

CHILD -

Silicone Mask # 3
Patient Valve with Pressure Relief Valve
Silicone Bag 470ml
WEIGHT 215g - Reservoir Valve
Oxygen Reservoir 2,600ml

ADULT -

Silicone Mask # 5
Patient Valve with Pressure Relief Valve
Silicone Bag 1,700ml
WEIGHT 390g - Reservoir Valve
Oxygen Reservoir 2,600ml



BLACK RUBBER RESUSCITATOR - DISPOSABLE

ADULT - Disposable Rubber Resuscitator - Rubber Mask #5
Patient Valve with Pressure Relief Valve - Rubber Bag 1,650ml
Reservoir Valve - Oxygen Reservoir 2,600ml - Weight 314g

SCALES

CUPID 1 - DIGITAL BABY SCALE

CODE: SCAC1



Features:

This balance is specially made for measuring the weight of a baby

The pan may be removed to weigh babies under 20kg standing up

This instrument is ideal for a family, hospitals or any infant care center
Kg/lb switchable

BABY HANGING SCALE MS4300



CODE: SCA4300
25KG X 10g

BABY DIAL MAC-BA



CODE: SCABDHC
0 - 20KGS / 100G Increments

BABY CLINIC MS3500



CODE: SCA3500

0 - 20kg

0 - 10kg -5g

10 - 20KGS - 10g

SCALES

SCALE MEG213 – BMI



CODE: SCA213

Features:

This attractive scale with modern style of black tempered glass and blue backlight LCD looks great and easy to read, its beautiful not only outside but also powerful features, Accurate measurement of weight, BMI, and Hydration % and Bone weight.

Capacity
5-180kg.

Increments: 100grams

SCALE HEBE 1 – ADULT FLOOR 150KG



CODE: SCAH1

Features:

High Precision Scale:
minimum display unit is 0.1kg
Calculates and displays user
BMI x Large LCD Screen
Automatically switches off
after 6 seconds.
Can store 4 user height settings
150kg x 100g

SCALE WA100 BODY FAT SCALE SUITABLE FOR DIETICIANS



CODE: SCAWA100

Features/specifications

LCD screen 92 x 51mm x
using high precision.
Strain gauge sensor.
Multifunction: body fat
%, body hydration %, Body muscle%, body
Bone% and suggest
Calorie intake requirement
Built-in memory for 12
Different users.
Optional normal
weighing mode
(bypassing parameter
Setting): auto step on
weighing and
consecutive add-on Weighings.
Low battery and
overload indication.
Last immediate memory recall
Compare current
result to the last record
Five activity levels
selectable.
150kg, increments 0.1
Interchangeable kgs/lb
Auto-off after 3 seconds.

SCALES

WHEEL CHAIR SCALE - 200KG



CODE: MS5810

100G Increments.
Revolvable arm-rest.
Foldable foot-rest.
Lockable rear wheels.
Medical grade anti-shocking.
caster wheels.
RS232 data tranmit to PC.
Non slippery seat.
Easy to use 5 operation keys.
Extreme large LCD display.
BMI function.
HOLD function for weight lock.
Tare function for weight taring.
Compact size packaging.

SCALE MS3200



CODE: SCA3200

300kg x 100g
0.1g increments

Features:

More than just precision and quality, characterized by ample platform space and carefully polished edges to edges to ensure the weighing comfort of patients and health enthusiasts.

SCALE MS3400 ADULT DIGITAL SCALE WITH HEIGHT ROD & BMI



CODE: SCA3400

Features:

Is the ideal scale for Physicians offices, weight loss clinics, health fitness centers and other medical practices.
Capacity: 300KG X 100G increments
Height Rod: 2m in FT and CMS

SCALE SLIDING WEIGHT



CODE: SCASWHC

FEATURES:

This scale is widely applicable for use in enterprise, schools, hospitals, clinics and sports departments.

Capacity: 200kg / 100g
Increments

SCALE MS5011 - BMI



CODE: SCA5011

FOOD SCALES



CODE: SCAWT6002A

Capacity: 600G , Accuracy 0.01

LCD Screen. Features:

Big glass wind shield, beautiful appearance. LCD display, white back light Zero Tracking & Auto Tare RS232 interface

PHARMACT SCALES



CODE: SCAV3

Capacity: 3KG / 1 G Increments

Features: This scale is ideal for people who need exact weight of food you will take to calculate fat or calories

HEIGHT MEASURE HM80M – ANALOGUE BABY



CODE: HM80DB

Features:

Manual height rod of height measurement equipment HM80M is for measuring baby on table or attached to the Charder scale. Fully compatible with Charder baby scale series. From 35cm up to 80cm measuring range. It is easy to use and clearly height reading. Measuring Range - 35 - 80cm 1mm Increments

HEIGHT METERS



Features:

**HM 200P
Measurement range 14-200Cm
Dimensions 35x40x243Cm
Weight 2.4Kg (with carrying box)**

HEIGHT MEASURE HM80D – DIGITAL BABY



CODE: HM80MAB

Features:

Wall mountable. Light Weight Measuring Range 35 - 80cm 1mm Increments

WALL MOUNTABLE – 2M HEIGHT MEASURE



CODE: HM

**Lightweight and Portable
2m in length**

Easy and Accurate

**A Stature meter can be used at home, school, hospital, office or travel to measure the humans Stature
Quality Approval - C.E. and ISO**



STETHOSCOPES

BUDGET HI-CARE STETHOSCOPES



Code: STJDS
Nurses Single Head



Code: STHDDHC
Child Burgundy



Code: STHF
Foetal Stethoscope




Code: STJDD
Doctors Dual Head
Available in Black, Blue, Green, Red,
Purple



Code: STDHT
Teaching Stethoscope



Code: STHDSH/PP
Paediatric Dual Head



Code: STJDC
Child - Dual Head



Code: STJDRS
Rapport Deluxe Dual Head
Available in Black, Blue, Green,
Red



Code: STHDT
Pinard Aluminium Foetal

PROFESSIONAL HI-CARE RANGE STETHOSCOPES



Code: STHRPDH/BK
Professional Rappaport



Code: STHSCC1
**Professional Classic Adult or
Child Dual Head**



Code: STHSCN1
**Professional Paediatric Dual
Head**



Code: STHPSH/SN
Satin Single Head



Code: STHPSH/GL
Single Head Gold



Code: STHPDHT
Teaching Stethoscope



Code: STHSDC
Cardiology Dual Head



Code: STHPF
Professional Foetal



Stethoscope - Covers
(Various)



CODE: STHVE/S

VISUAL ELECTRONIC AND SPO2

Specifications:

Dimensions: 88mm (L) x 60mm (W), 18mm (H)

Portable and convenient to operate

Based on latest piezo sensor technology

Power Electronic amplify the sound up to a maximum of 32 times 16 steps programmable volume setting. Sound model: Heart and Lung

Frequency Response: 20Hz – 20,000Hz

Real-time record and display of heart rate and ECG TFT Colour LCD display (160 x 128 pixels)

Accommodates, infant, pediatric and adult patients 4.2V

Rechargeable Lithium battery

Automatic switch off after 3 minutes from last button activation.

An external oximeter probe can be connected (optional) Pulse sound.

Alarm function for SPO2 and Pulse Rate USB Port



CODE: STHMF/S

MULTI-FUNCTIONAL AND SPO2

Specifications:

Integrated with regular stethoscope, ECG waveform display, heart rate and pulse oximeter.

Large LCD Screen Display: 160 x 96; LED back light RS232 Interface connection to computer

Changeable SPO2 Sensor the different patient (neonate, infant and adult)

Freeze Function: Convenient to observe the heart rate, ECG and SPO2.

Real-time display of the heart rate, ECG and SPO2. Low power consumption, Long life battery. SPO2 optional -

Weight: 200g Power: 3.6V (Li-ion), Current: ≤20MA Operation: ± 40 hours

Automatic shutt off after 4 min.

LCD Display: Pixel 160 x 96 - Display

Zone: 60 x 34mm ECG Waveform rolling speed: 6.25mm/s, 1.25mm/s, 25mm/s - Sensitivity: Automatic




STETHOSCOPE SPARES



CODE: STHST
STETHOSCOPE NAME TAG



CODE: STJDRK
STETHOSCOPE RAAPAPORT
SPARE KITS




CODE: STSB1
STETHOSCOPE BUDGET DIAPHRAGM



CODE: STSB2
STETHOSCOPE BUDGET BELL



CODE: STSYT
STETHOSCOPE Y TUBING



CODE: STSB4
STETHOSCOPE SPARE BUDGET ARMS
AND EAR PIECES



STETHOSCOPE BELT HOLDER



STETHOSCOPE WALL HOLDER

SURGICAL SUCTION ACCESSORIES



**CODE: SUCF
60 & 70MM OBSTETRIC CUPS**



**SUCTION FILTERS FOR SMALL ASKIR
UNITS, ASKIR C30 AND HOSPIVAC
UNITS**



FLOVAC SUCTION FILTER & LID



FLOVAC BOTTLE



FLOVAC 4-PLACE TROLLEY



VACUUM BREAKER DISPOSABLE



AUTOCLAVABLE BOTTLE AND LID (AVAILABLE IN 1 LITRE AND 2 LITRE)

SURGICAL SUCTIONS

HANDHELD



CODE: HHSU
410mm Hg
250ml Container / Bottle

ANAND FOOT



CODE: SSAF
Features:

Efficient piston pump for creating vacuum instantly. Engineered plastic moulded parts that are non-corrosive. Easy to dismantle, clean, disinfect and reassemble. Portable and non-tiring pedal unit with top view manometer making it easily visible to the operator. Bacterial filter (0.3 micron) with reusable / auto clavable housing between jar and pump. Ease of operation (one person can operate unaided). Also useful for field hospitals, midwives, medical centre, mines, aircraft, trains, mountaineers, on-foot paramedics, etc.

ASPIRET



CODE: SSAF
Features:

Efficient piston pump for creating vacuum instantly. Engineered plastic moulded parts that are non-corrosive. Easy to dismantle, clean, disinfect and reassemble. Portable and non-tiring pedal unit with top view manometer making it easily visible to the operator. Bacterial filter (0.3 micron) with reusable / autoclavable housing between jar and pump. Ease of operation (one person can operate unaided). Also useful for field hospitals, midwives, medical centre, mines, aircraft, trains, mountaineers, on-foot paramedics, etc



SURGICAL SUCTIONS

ASKIR 20



CODE : SSASK20

FEATURES :

- Easily transportable from one hospital ward to another, particularly suitable for tracheotomized patients, minor surgical applications and postoperative therapy at home.
- To be used for aspirating body fluids such as mucus or catarrh.
- Easily portable equipment designed for non continuous use 30 min. ON / 30 min. OFF, thanks to an electronic system for managing the electricity supply.
- A series of LED's on the front control panel signals whether the machine is operating.
- Made of highly heat resistant, electrically insulated plastic material in conformity with the latest European safety standards.
- Supplied with a polycarbonate 1- litre autoclavable vessel complete with overflow valve .
- Equipped with aspiration regulator, located on the front panel.

ASKIR 30



CODE: SSASK30

FEATURES:

- Easily transportable from one hospital ward to another, particularly suitable for tracheotomized patients, minor surgical applications and postoperative therapy at home.
- To be used for aspirating body fluids such as mucus or catarrh.
- Easily portable equipment designed for non continuous use 120 min. ON / 60 min. OFF thanks to an electronic system for managing the electricity supply
- A series of LED's on the front control panel signals whether the machine is operating.
- Made of highly heat resistant, electrically insulated plastic material in conformity with the latest European safety standards
- Supplied with a polycarbonate 1- litre autoclavable vessel complete with overflow valve Equipped with aspiration regulator, located on the front panel.

ASKIR 30 12V



CODE: SSASK3012

FEATURES:

- Electric Suction unit can operate off 12V DC vehicle power through use of a cable.
- Easily transportable
- Suitable for tracheotomized patients, minor surgical applications, nasal aspiration, oral aspiration and tracheal aspiration of body fluids.
- High Vacuum/High flow

ASKIR BR36



CODE: SSASKBR36

- Askir 36BR is a desk-type electrical suction unit for the aspiration of body liquids, oral, nasal and tracheal aspiration in adult or children.
- The appliance is designed for easy transport and almost continuous use.
- The unit is operated by means of an electronic power management system, also monitoring the internal battery operation and status.
- A LED system positioned on the front panel indicated appliance start-up and battery charge status.
- The unit is equipped with suction regulator on the front panel and polycarbonate autoclavable jar complete with overflow valve. Thanks to these characteristics and to its functions, this device is particularly suitable for different applications: utilization in hospital wards, for tracheotomy, for suction of body liquids and for minor surgery.

ASKIR 230



CODE: SSASK230

FEATURES:

- Mixed power supply 230V AC and 12VDC.
- Easily transportable
- Suitable for tracheomized patients, minor surgical applications, nasal aspiration, oral aspiration and tracheal aspiration of body fluids.
- A series of LED on the front control panel signals whether the machine is operating, as well as the charge and recharge status of the batteries.

ASKIR 30C



- Easily transportable from one hospital ward to another, particularly suitable for tracheotomized patients, minor surgical applications and postoperative therapy at home.
- To be used for aspirating body fluids such as mucus or catarrh.
- Easily portable equipment designed on stand with mobile castor wheels. Intermittent duty cycle at 35°C and 110% operating voltage, 120 min ON / 60 min OFF.
- A series of LED's on the front control panel signals whether the machine is operating.
- Made of highly heat resistant, electrically insulated plastic material in conformity with the latest European safety standards.
- Supplied with a polycarbonate 2 x 2 litre autoclavable vessel complete with overflow valve
- Equipped with aspiration regulator, located on the front panel.

HOSPIVAC 350



CODE : SSH350

FEATURES:

- Easily transportable from one hospital ward to another
- To be used for aspirating body fluids such as mucus or catarrh and/or blood
- Easily moveable by means of wheels under the unit and a handle on top allowing virtually continuous use
- Continuous use can be enabled by activating the illuminated switch.
- Made of highly heat resistant, electrically insulated plastic material in conformity with the latest.
- European safety standards
- Supplied with two polycarbonate 2-litre autoclavable vessels complete with overflow valve.
- Equipped with aspiration regulator, located on the front panel.

HOSPIVAC 400



CODE : SSH400

FEATURES:

- Easily transportable from one hospital ward to another.
- To be used for aspirating body fluids such as mucus or catarrh and/or blood
- Easily moveable by means of wheels under the unit and a handle on top allowing virtually continuous use
- Continuous use can be enabled by activating the illuminated switch.
- Made of highly heat resistant, electrically insulated plastic material in conformity with the latest European safety standards
- Supplied with two polycarbonate 2- litre auto clavable vessels complete with overflow valve.
- Equipped with aspiration regulator, located on the front panel.

MAMILAT BREAST PUMP



CODE : SUSCBP

FEATURES :

- Easily transportable from one maternity ward to another, or for use at home.
- To be used for aspirating mother's milk.
- Easily portable equipment designed for non continuous use 20 min ON / 40 min OFF.
- Made of highly heat resistant, electrically insulated plastic material in conformity with the latest European safety standards
- Supplied with a polycarbonate vessels complete with teats and nipple shields.
- Equipped with aspiration regulator, located on the front panel.



SYRINGE DESTROYER – BD-300C

CODE: SYRDST

The disposable syringe destroyer is easy to operate and safe and only requires 6V of working voltage to protect patients from infection from used syringes.

Features:

Power: 220V/110V AC, 50/60Hz, <130W

The equipment uses the silver-pole with low voltage (about 7 V.A.C) to melt the needle conveniently and quickly within three seconds

No pollution, only produces a small amount of waste

To Operate: First turn on the power, squeeze the residue liquid out from the syringe body, put the needle directly into the needle melting hole firstly for melting the needle, and then, press the syringe body downward directly until a hole is punctured into the syringe.

TEST PACKS




PREGNANCY TEST – SINGLE PACK & DOUBLE PACK

OVULATION TEST – 5 TESTS



DRUG TEST – MULTI PACK



4 PANEL TEST PACK;
HEROINE (OPI)
THC (MARIJUANA /DAGGA)
MET (Tik)
COC (Cocaine)



THEATRE LAMPS



THEATRE LAMP
STFocus-10D
Double Ceiling Lamp Head
140,000 + 140,000 LUX




THEATRE LAMP
STFocus-10E
Emergency UPS Type,
120,000 LUX



OPERATING LAMP
STFocus-10M
Mobile Stand Type, 140,000
LUX



OPERATING LAMP
STFocus-10S
Single Ceiling Lamp Head/
140,000 LUX



OPERATING LAMP
STFocus-10W
Wall Mounted Type, 140,000
LUX



ST-LED 60M



THEATRE TABLES

OT-600 Universal Operating Table, Two Cranks Head-End Control, Foot Pedal Hydraulic Elevating

OT-600A

SAME TYPE AS OT-600 AND TABLE TOP WITH X-RAY RADIOGRAPHY SHEETS



OPTIONAL ACCESSORIES: (AT EXTRA COST)

- RESTRAINT STRAP (OT-1620) / 1 PCS
- HAND GRIPS (OT-1625) / 2 PCS
- U-SHAPED HEADREST (OT-1623) / 1 SET
- RAISED ARMREST (OT-1622) / 1 SET
- STAINLESS STEEL FUNNEL AND WASTE RECEPTACLE AND CORRUGATED TUBING (OT-1626) / 1 SET
- KIDNEY ELEVATOR (OT-1624) / 1 SET
- 360° ROTATION DEVICE (OT-1630) / 1 SET



OT-700

ELECTRIC HYDRAULIC ELEVATING SAME TYPE AS OT-600

OT-700A

SAME TYPE AS OT-700 AND TABLE TOP WITH X-RAY RADIOGRAPHY SHEETS

THEATRE TABLE MANUAL HYDRAULIC OT700A

ORTHOPEDIC OPERATING TABLE OT-125A

■ OT-125A

UNIVERSAL OPERATING TABLE HYDRAULIC LIFT TYPE

■ OT-128A

RADIOGRAPHY / X-RAY OPERATING TABLE SAME TYPE AS MODEL OT-125A BUT WITH ACRYLIC PLATE TABLE TOP FACILITATES RADIOGRAPHY BY IMAGE INTENSIFIER / X-RAY TV.




STANDARD ACCESSORIES

- | | |
|-------------------------------------|----------------------------------|
| 1. HEAD REST | 10. CRANK HANDLE |
| 2. SHOULDER SUPPORTS | 11. TRENDLEBURG MOVEMENT CONTROL |
| 3. BODY SUPPORTS | 12. LATERAL TILT CONTROL |
| 4. ARM REST | 13. HEAD & BACK SECTION CONTROL |
| 5. SCREEN FRAME | 14. ECCENTRIC LEVER |
| 6. KNEE CRUTCH | 15. KIDNEY LIFT CONTROL |
| 7. MATTRESS | 16. OIL SEAL WITH CAP |
| 8. BUILT-IN KIDNEY LIGHT, REMOVABLE | 17. TABLE BASE 14CM THICKNESS |
| 9. FOOT PEDAL | |

OPTIONAL ACCESSORIES (AT EXTRA COST)

- ★ Restrain strap (OT-1620)
- ★ Hand grips (OT-1625)
- ★ U-shaped headrest (OT-1623)
- ★ Raised armrest (OT-1622)
- ★ Stainless steel funnel and waste receptacle and corrugated tubing (OT-1626)

FULL ELECTRIC UNIVERSAL OPERATING TABLE OT-2000



SPECIFICATIONS

ELEC. AC INPUT: 110V OR 220V 50 / 60HZ

REMOTE CONTROLLER POWER: DC 24V

TABLE WEIGHT: 170 KGS

MATTRESS THICK: 50MM

PATIENT WEIGHT CAPACITY: 200 KGS

Table Dimension

Length 2125 mm

Width 600 mm

Table Top Elevation 755 ~ 1055 mm (with mattress)

Trendelenburg/ Reverse Trendelenburg 25° / 25°

Lateral tilt (Left/ Right) 20° / 20°



















Back Section (Up/Down) 80° / 45°

Head Section (Up/Down) 25° / 90° Manual

Foot Plate (Up/Down) 20° / 90° Manual

Split Angle (Foot Plate) 245° Manual

FULL ELECTRIC UNIVERSAL OPERATING TABLE OT-2100, OT-2200

| Model Number | OT-2100 | OT-2200 |
|---|--|--|
| Descriptions | | |
| Table Dimension /mm |  |  |
| Table Top Elevation |  |  |
| Trendelenburg / Reverse Trend |  |  |
| Lateral Tilt (Left / Right) |  |  |
| Back Section (Up / Down) |  |  |
| Head Section (Up / Down) |  |  |
| Footplate (Up / Down / Split Tilt) |  |  |
| Table Top Longitudinal Slide |  |  |
| Table Top Sidewise Slide (Left / Right) | OT-2100: - |  |
| Flex / Reverse Flex (Auto-Setting) | OT-2100: - |  |
| Emergency Override Panel | OT-2100 | OT-2200 Standard Accessories |
| Ups Battery Device | OT-2100 Optional Accessories / OT-1717 | OT-2200 Standard Accessories |
| Elec. AC Input | 110V OR 220V 50 / 60 Hz | |
| Remote Controller Power | DC 12V | |
| Table Weight (Approx) | 285 | |
| Mattress Thick | 5.5 CM | |
| Patient Weight Capacity | 180 KGS | |
| Safety Standards | EN 61010-1, EN 1441, EN 60601-1-2, EN 60555-3, EN 61000-3-3, IEC 601-3, IEC 601-4, EN 60601-1 | |

The specifications & design is change without notice.

GYNECOLOGICAL, UROLOGICAL AND LITHOTOMY POSITION



RECTAL POSITION



SURGICAL OPERATION FOR HAND AND ARM



KIDNEY POSITION



NOSE AND THROAT PROCEDURES



FEMORAL STEM FRACTURE LATERAL POSITION



THERMOMETERS



**DIGITAL THERMOMETER –
STANDARD (HI CARE)**
Code: THACD



**DIGITAL THERMOMETER
FLEXI TIP**
Code: THDFLEX



**THERMOMETER STRIP –
SINGLE USE**
Code: THDISP



**THERMOMETER FLEXI TIP
ANIMAL**



**THERMOMETER INFRA RED
FOREHEAD**



**THERMOMETER DIGITAL
PICCOLO – EAR**



URINE BAGS

Code: UB2000/AV



ANTI RETURN VALVE 2000ML

Code: UB2000/SV



SCREW VALVE 2000ML

Code: UB2000/PV



PUSH VALVE 2000ML



MEDICAL BROCHURE

We excel
in service deliveries
and offer the
very best price
structure on
the market.

